

(Click on Well Log ID to Access Image of Well Strip Log)

DUNKLIN

(Records are Sorted by Township, Range, and Section)

LOG ID: 010902

WELL TYPE

Community Public Well

DRILL DATE:

1949/07/01

TOWNSHIP 16N

RANGE SECTION 3

ELEVATION:

248FT

County Base Map

DRILL DEPTH:

1,770FT

7E

UTM X

UTM Y 3,992,780.92

DEPTH TO BED:

150FT

743,924.99 ZONE 15

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE

012402

Community Public Well

DRILL DATE:

1953/08/07

TOWNSHIP

SECTION RANGE

ELEVATION:

248FT

DRILL DEPTH:

118FT

16N 7E

UTM X

UTM Y

DEPTH TO BED:

3

743,924.99 3,992,780.92

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

028081

Community Public Well

DRILL DATE:

1,645FT

TOWNSHIP 16N

SECTION RANGE

ELEVATION:

249FT

DRILL DEPTH:

7E 3

UTM X

UTM Y

DEPTH TO BED:

200FT

743,603.99

3,993,008.92

ZONE 15

REMARKS:

REMARKS: @ BALL FIELD; NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE

020814 Community Public Well

DRILL DATE:

TOWNSHIP 16N

RANGE SECTION

6

ELEVATION:

UTM X

748,889.03

247FT

DRILL DEPTH:

1,765FT

165FT

8E

UTM Y 3,993,146.92

DEPTH TO BED:

@ BROADWAY & OLIVE STS IN ARBYRD

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 009110

WELL TYPE

Community Public Well

1946/04/04 DRILL DATE:

DRILL DEPTH: 1,846FT

DEPTH TO BED: 175FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS: SWL +81'

TOWNSHIP

16N

LOG ID: 002105

WELL TYPE

Community Public Well

DRILL DATE:

1926/01/01

TOWNSHIP 17N

RANGE

RANGE

#1 SPENCE TRUST

8E

RANGE

9E

SECTION 1

SECTION

10

SECTION

8

ELEVATION:

ELEVATION:

UTM X

760,785.14

ZONE 15

ZONE 15

ZONE 15

256FT

246FT

UTMY

3,992,289.97

DRILL DEPTH:

128FT

8E

UTM X 755,718.04

ELEVATION:

UTM X

752,515.03

UTMY 4,002,880.93

250FT

UTM Y

4,000,960.92

DEPTH TO BED:

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 028673

WELL TYPE

Oil Well

DRILL DATE:

1988/02/13

10,089FT

DRILL DEPTH:

DEPTH TO BED: 280FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

008948

Community Public Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1945/11/20

1,717FT

155FT

TOWNSHIP 17N

TOWNSHIP

17N

RANGE

8E

SECTION 2

ELEVATION:

259FT

UTM X UTM Y 755,245.04 4,002,692.93

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FLOWED REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018552

WELL TYPE

Industrial High Capacity Well

1959/06/01 DRILL DATE:

S.W.L. (BEFORE CASING):

RANGE TOWNSHIP SECTION 17N

@ BUCODA

ELEVATION:

244FT

DRILL DEPTH:

67FT

8E 29

DEPTH TO BED:

FT

FT

FT

UTM X 750,502.03

UTMY 3,997,433.91

S.W.L. (AFTER CASING): 12 ZONE 15

ZONE 15

LOG ID: 014495

WELL TYPE Private Well

DRILL DATE:

1956/03/05

TOWNSHIP

SECTION RANGE

ELEVATION:

248FT

DRILL DEPTH:

125FT

8E 31 17N

> UTM X 748,939.02

UTMY 3,995,210.91

DEPTH TO BED:

REMARKS:

REMARKS:

S.W.L. (AFTER CASING): 3.5

S.W.L. (BEFORE CASING):

LOG ID: 016039

WELL TYPE

Private Well

DRILL DATE:

1957/03/29

TOWNSHIP

RANGE SECTION 3

ELEVATION:

247FT

DRILL DEPTH:

120FT

12

7

17N 9E

1 MI N OF CARUTH

UTM X 762,796.08

UTM Y 4,004,223.98

DEPTH TO BED:

ZONE 15

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 014497

WELL TYPE

Private Well

DRILL DATE:

1956/03/07

TOWNSHIP

RANGE SECTION

24

ELEVATION:

259FT

DRILL DEPTH:

120FT

18N

8E

UTM X

UTM Y

DEPTH TO BED:

FT

756.747.02

4,008,878.94

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

2/27/2007

1,443



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015957

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Oil Well

1957/03/23 DRILL DATE:

1,300FT

320FT

RANGE TOWNSHIP SECTION 18N

8E 25 **ELEVATION:**

258FT

UTM X

UTMY 4,007,357.93

755,819.02

ZONE 15

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

E-LOG AVAILABLE REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 016038

WELL TYPE Private Well

DRILL DATE:

1957/03/20

TOWNSHIP

SECTION RANGE

ELEVATION:

256FT

DRILL DEPTH:

120FT

18N 9E 17

> **UTM X** 758,944.02

UTMY 4,010,713.95

DEPTH TO BED:

FT

FT

3 MI SW OF KENNETT, 2 MI W OF JONESWAY GIN OFF HWY 25 REMARKS:

S.W.L. (AFTER CASING): 5.5

S.W.L. (BEFORE CASING):

LOG ID: 001958

WELL TYPE

Community Public Well

DRILL DATE:

1925/00/00

TOWNSHIP

RANGE SECTION **ELEVATION:**

266FT

DRILL DEPTH:

86FT

250

18N 9E 2

UTM X 764,930.02

UTM Y 4,013,892.01

DEPTH TO BED:

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

005293

Community Public Well

DRILL DATE:

1939/03/01

TOWNSHIP

RANGE

SECTION 2

ELEVATION:

265FT

DRILL DEPTH:

DEPTH TO BED:

1,600FT

150FT

18N

9E

UTM X

UTM Y

REMARKS:

764,930.02

4,013,892.01

ZONE 15

S.W.L. (BEFORE CASING):

FLOWS - Driller's Log Attached

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007718

WELL TYPE

Community Public Well

1942/04/01 DRILL DATE:

TOWNSHIP RANGE 18N

SECTION

2

ELEVATION:

258FT

DRILL DEPTH:

155FT

9E 2

UTM X 764,930.02

ZONE 15

UTMY 4,013,892.01

DEPTH TO BED:

FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

30

REMARKS: **OLD WELL DEEPENED 90-155'**

LOG ID: 011652

WELL TYPE

Community Public Well

DRILL DATE:

1951/08/07

TOWNSHIP

SECTION RANGE

ELEVATION:

267FT

DRILL DEPTH:

195FT

18N 9E

UTM X

UTMY

DEPTH TO BED:

140FT

15

764,959.03

4,013,802.01 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: TEST HOLE TO 195'

S.W.L. (AFTER CASING):

LOG ID: 012348

WELL TYPE

Community Public Well

DRILL DATE:

1953/07/01

TOWNSHIP

RANGE SECTION

2

ELEVATION:

264FT

DRILL DEPTH:

165FT

18N 9E

ROTARY RIG

UTM X

UTM Y

DEPTH TO BED:

135FT

764,954.02 4,013,850.01

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

012749

Community Public Well

DRILL DATE:

1954/07/01

TOWNSHIP 18N

SECTION RANGE 9E 2

ELEVATION:

265FT

UTM Y

DRILL DEPTH:

DEPTH TO BED:

172FT

UTM X 764.955.03

4,013,751.01

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

300' N OF POWER PLANT; "NOT MADE INTO A WELL"



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012769

WELL TYPE

Community Public Well

1954/07/13 DRILL DATE:

TOWNSHIP 18N

RANGE SECTION 2

ELEVATION:

267FT

DRILL DEPTH:

155FT

9E

UTM X

UTMY

DEPTH TO BED:

764,969.03

4,013,675.01

S.W.L. (BEFORE CASING):

REMARKS: ON 5TH ST ZONE 15

S.W.L. (AFTER CASING):

LOG ID: 013552

WELL TYPE

Community Public Well

DRILL DATE:

1955/06/01

TOWNSHIP

SECTION RANGE

2

ELEVATION:

269FT

DRILL DEPTH:

161FT

18N 9E

UTM X

UTMY

DEPTH TO BED:

764,930.03

4,013,686.01

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 027629

WELL TYPE

Community Public Well

DRILL DATE:

1974/05/03

TOWNSHIP

SECTION RANGE

22

ELEVATION:

262FT

DRILL DEPTH:

1,685FT

18N

9E

UTM X

UTM Y

DEPTH TO BED:

125FT

763,158.05 4,008,752.99

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NO CONSTRUCTION OR PRODUCTION DATA

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

013535

S.W.L. (BEFORE CASING):

Private Well

DRILL DATE:

1954/03/01

TOWNSHIP

RANGE

SECTION

ELEVATION:

258FT

DRILL DEPTH:

74FT

18N

9E

28

UTM X

761,888.06

UTM Y

4,006,904.98

DEPTH TO BED:

FT

REMARKS:

6 MI S, 1 MI W OF KENNETT

ZONE 15

S.W.L. (AFTER CASING):

12



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025104

WELL TYPE Private Well

1967/02/23 DRILL DATE:

9

TOWNSHIP 18N

RANGE SECTION **ELEVATION:**

255FT

UTMY

4,004,817.96

DRILL DEPTH:

95FT

9E 32

UTM X

760,116.06

ZONE 15

ZONE 15

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

FT

FT

FT

3 MI NE OF SENATH, 1 MI N OF HWY T **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 016037

WELL TYPE Private Well

DRILL DATE:

1957/03/22

TOWNSHIP

SECTION RANGE

ELEVATION:

257FT

DRILL DEPTH:

120FT

18N 9E

1 MI N OF CARUTH

UTM X 762,248.08

UTMY 4,004,517.98

DEPTH TO BED:

S.W.L. (AFTER CASING): 14

S.W.L. (BEFORE CASING):

LOG ID: 020645

WELL TYPE Private Well

DRILL DATE:

1961/05/30

TOWNSHIP

REMARKS:

REMARKS:

RANGE

2 MI N OF KENNETT

SECTION

34

ELEVATION:

266FT

DRILL DEPTH:

70FT

3

9E 23

> UTM X 764,148.01

UTM Y 4,017,731.02

DEPTH TO BED:

19N

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

011147

Community Public Well

DRILL DATE:

1949/09/01

TOWNSHIP

19N

RANGE SECTION **ELEVATION:**

UTM X

267FT

DRILL DEPTH:

DEPTH TO BED:

1,630FT

155FT

9E 35

UTM Y

763.879.01

ZONE 15

4,014,903.01

S.W.L. (BEFORE CASING):

REMARKS:

ELECTRIC LOG ON FILE; NO PRODUCTION DATA

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011924

WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1951/09/19

TOWNSHIP 19N SECTION 35

36

ELEVATION:

267FT

DRILL DEPTH:

115FT

9E

RANGE

UTM X

<u>UTM Y</u>

DEPTH TO BED:

HOFF

764,879.02 4,014,903.02

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: HEMPHILL BEAN MILL

S.W.L. (AFTER CASING):

LOG ID: 025047

WELL TYPE

Industrial High Capacity Well

DRILL DATE:

1967/02/14

TOWNSHIP 19N RANGE SECTION

ELEVATION:

267FT

DRILL DEPTH:

102FT

9E

UTM X

UTM Y

DEPTH TO BED:

765,099.02

4,014,743.02

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

LOG ID: 014447

WELL TYPE

Private Well

DRILL DATE:

1956/03/09

TOWNSHIP RANGE

<u>SECTION</u>

ELEVATION:

265FT

DRILL DEPTH:

105FT

19N 10E 30

UTM X

UTM Y

DEPTH TO BED:

767,668.02 4,016,419.05

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 019733

WELL TYPE

Private Well

DRILL DATE:

1960/07/18

TOWNSHIP

RANGE SECTION

ELEVATION:

770.292.05

274FT

DRILL DEPTH:

75FT

19N

10E 4

UTM X

<u>UTM Y</u> 4,024,001.09

DEPTH TO BED:

FT

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

13

REMARKS: 5 MI N OF KENNETT



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018142

WELL TYPE Private Well

1959/04/23 DRILL DATE:

TOWNSHIP 20N

RANGE SECTION **ELEVATION:**

272FT

DRILL DEPTH:

70FT

10E 20 UTM X

768,161.04

UTMY 4,027,395.07

DEPTH TO BED:

FT

8

REMARKS: 3 MI E, 1 MI N OF FRISBEE

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 018905

Community Public Well

DRILL DATE:

1960/03/28

TOWNSHIP

SECTION RANGE 6

ELEVATION:

ZONE 15

276FT

DRILL DEPTH:

1,245FT

20N 10E

UTM X

UTMY

DEPTH TO BED:

140FT

766,777.04 4,033,056.07

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: **FLOWED**

S.W.L. (AFTER CASING):

LOG ID: 000128

WELL TYPE

Community Public Well

DRILL DATE:

1902/00/00

TOWNSHIP RANGE

SECTION 3

ELEVATION:

304FT

DRILL DEPTH:

960FT

21N 9E

UTM X

UTM Y

DEPTH TO BED:

155FT

9

762,148.99

4,042,616.08 ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS: formerly in name of Campbell Lumber Company Well #1 - then used by

City of Campbell as Well #1 - abandoned in 1983

LOG ID:

WELL TYPE

013823

Community Public Well

DRILL DATE:

1955/09/02

TOWNSHIP

RANGE SECTION **ELEVATION:**

301FT

935FT

21N

9E 3

DRILL DEPTH:

DEPTH TO BED:

195FT

UTM X 762.148.99

UTM Y 4,042,301.08

ZONE 15

S.W.L. (BEFORE CASING):

FT

plugged in 1997 **REMARKS:**

S.W.L. (AFTER CASING):

6



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027333

DRILL DEPTH:

WELL TYPE

Community Public Well

1973/08/07 DRILL DATE:

930FT

DEPTH TO BED: 190FT

S.W.L. (BEFORE CASING): FT

6

S.W.L. (AFTER CASING):

RANGE SECTION TOWNSHIP 21N

9E

ELEVATION:

321FT

UTM X 761,126.98

UTMY 4,041,691.07

ZONE 15

LOG ID: 005266

WELL TYPE

Community Public Well

DRILL DATE:

1939/02/01

TOWNSHIP 21N

REMARKS:

REMARKS:

SECTION RANGE

ELEVATION:

280FT

DRILL DEPTH: **DEPTH TO BED:** 50FT

10E 22

UTM X

UTM Y

771,881.10

4,037,424.12

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

010570

WELL TYPE

Community Public Well

DRILL DATE:

1948/11/03

TOWNSHIP

RANGE 10E

ELEVATION:

285FT

DRILL DEPTH:

1,320FT

21N

SECTION

22

UTM X

UTMY

DEPTH TO BED:

155FT

771,781.10

4,038,421.12

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS: 1 BLK W OF HWY 25

30

LOG ID:

WELL TYPE

025381

Private Well

DRILL DATE:

1967/06/30

TOWNSHIP

RANGE

SECTION

ELEVATION:

UTM X

751,429.86

303FT

DRILL DEPTH:

110FT

22N 8E

34

UTM Y 4,042,949.05

DEPTH TO BED:

S.W.L. (BEFORE CASING):

ZONE 15

S.W.L. (AFTER CASING):

1 MI S OF WILLIMENO **REMARKS**:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 017846

DEPTH TO BED:

WELL TYPE Oil Well

DRILL DATE: 1959/01/20

20 <u>TOWNSHIP</u> 22N RANGE SECTION
9E 14

ELEVATION:

415FT

4,049,098.10

DRILL DEPTH: 863FT

• •

UTM X UTM Y

764,146.01

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 JOHN STEWART

S.W.L. (AFTER CASING):

LOG ID: 015701

WELL TYPE

Industrial High Capacity Well

DRILL DATE:

1956/09/01

310FT

TOWNSHIP

RANGE SECTION 9E 28 **ELEVATION:**

416FT

DRILL DEPTH:

240FT 25FT 22N 9E

UTM X

UTM Y

DEPTH TO BED:

760,350.97 4,044,987.08

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: @ CAMPBELL

22N

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 024693

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1966/03/00

TOWNSHIP RANGE

SECTION 10 **ELEVATION:**

290FT

DRILL DEPTH:

208FT

10E

ITMA

ZONE 15

DEPTH TO BED:

145FT

<u>UTM X</u> 771,214.11 <u>UTM Y</u> 4,050,456.12

S.W.L. (BEFORE CASING):

IN MALDEN E OF CATHOLIC CHURCH

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

008867

Community Public Well

DRILL DATE:

1945/07/01

TOWNSHIP RANGE

SECTION

ELEVATION:

UTM X

771.440.11

294FT

DRILL DEPTH:

130FT

22N

10E 15

DEPTH TO BED:

105FT

.0

<u>UTM Y</u> 4,049,654.13

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS: NO PRODUCTION OR CONSTRUCTION DATA



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026794

WELL TYPE

Community Public Well

1971/05/25 DRILL DATE:

DRILL DEPTH: 142FT 22N 10E 15

SECTION

UTM X **UTMY**

ELEVATION:

DEPTH TO BED: 100FT

RANGE

771,330.11 4,049,572.13

ZONE 15

S.W.L. (BEFORE CASING):

FT

S.W.L. (AFTER CASING):

LOG ID: 028723

WELL TYPE

WATER TEST WELL (HOLE)

14

DRILL DATE:

1993/04/02

TOWNSHIP

TOWNSHIP

REMARKS:

SECTION RANGE

ELEVATION:

292FT

292FT

DRILL DEPTH:

1,180FT

22N 10E

UTM X

UTMY

DEPTH TO BED:

175FT

15

4,049,550.12 771,140.11

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: plugged and abandoned

S.W.L. (AFTER CASING):

LOG ID: 014496

WELL TYPE

Private Well

DRILL DATE:

1956/03/03

TOWNSHIP

RANGE SECTION **ELEVATION:**

278FT

DRILL DEPTH:

110FT

22N

10E 31 UTM X

767,244.06

UTMY

4,044,750.09

DEPTH TO BED:

FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

26

LOG ID:

WELL TYPE

014673

WATER TEST WELL (HOLE)

DRILL DATE:

1956/00/00

TOWNSHIP

RANGE

SECTION 34

ELEVATION:

285FT

DRILL DEPTH:

130FT

22N

10E

DEPTH TO BED:

125FT

UTM X UTM Y 771,302.11 4,043,567.12

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025382

WELL TYPE Private Well

1967/07/17 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 327FT

23N 9E 21 **DRILL DEPTH:** 120FT

UTM X **UTMY** DEPTH TO BED: 760,579.94 4,057,665.13

ZONE 15

S.W.L. (BEFORE CASING): FT 6 MI W OF NORTH BORDER OF MALDEN AIR BASE ON RD **REMARKS**:

LEADING TO HWY DD

LOG ID: 025378

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE SECTION** 1967/06/29 **ELEVATION:** 317FT

23N 9E 28 DRILL DEPTH: 75FT

UTM X UTMY

DEPTH TO BED: 759,503.93 4,055,333.13 ZONE 15

S.W.L. (BEFORE CASING): REMARKS: 3 MI W OF MALDEN, 3 MI N, 0.75 MI W OF JCT HWYS H & J

S.W.L. (AFTER CASING):

S.W.L. (AFTER CASING):

LOG ID:

005015

WELL TYPE

WATER TEST WELL (HOLE)

28

DRILL DATE: 1938/09/10 **TOWNSHIP RANGE SECTION ELEVATION:** 292FT

23N 10E 28 **DRILL DEPTH:** 12FT

UTM X **UTMY DEPTH TO BED:** 769,692.10 4,055,074.12

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:** AUGER HOLE - C.H. DAY

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Noncommunity Public Well 007937

860FT

1942/09/12 **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 292FT

DRILL DEPTH: UTM X UTM Y

DEPTH TO BED: 770.039.10 4,054,834.12 158FT

10E

28

ZONE 15

23N

S.W.L. (BEFORE CASING): FT 2.5 MI N OF MALDEN **REMARKS**:

S.W.L. (AFTER CASING): 18



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 008024

WELL TYPE

Noncommunity Public Well

DRILL DATE: 1942/11/15 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 292FT

DRILL DEPTH: 890FT 23N 10E 28

UTM X UTM Y

<u>DEPTH TO BED:</u> 150FT 769,878.10 4,055,084.12

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NEAR MALDEN; 1000' N & W OF WELL #2

S.W.L. (AFTER CASING):

DUNKLIN